

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN6: Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	62.7	58.0	▼
Allegany	66.4	58.5	▼
Cecil	73.4	67.0	▼
Saint Mary's	67.6	59.5	▼

QN7: Percentage of students who rarely or never wore a helmet when rollerblading or skateboarding (among students who used rollerblades or rode a skateboard)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	68.4	65.3	No Change
Charles	85.2	73.1	▼
Saint Mary's	63.4	50.6	▼
Wicomico	82.1	74.4	▼

QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	5.2	5.5	No Change
Baltimore County	7.5	10.3	▲
Caroline	3.7	6.2	▲
Somerset	4.8	10.7	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN9: Percentage of students who ever rode with a driver who had been drinking alcohol (in a car)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	19.7	15.4	▼
Allegany	20.4	14.1	▼
Anne Arundel	21.8	16.8	▼
Baltimore City	17.0	12.6	▼
Caroline	26.1	18.3	▼
Cecil	23.8	19.5	▼
Charles	24.0	16.6	▼
Dorchester	25.2	16.0	▼
Frederick	20.2	16.8	▼
Harford	24.2	17.2	▼
Kent	32.6	22.2	▼
Montgomery	15.7	11.6	▼
Prince George's	22.3	17.9	▼
Saint Mary's	22.9	18.6	▼
Wicomico	22.0	16.9	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN10: Percentage of students who ever carried a weapon (such as a gun, knife, or club)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	29.2	23.5	▼
Allegany	49.1	33.8	▼
Anne Arundel	26.6	21.4	▼
Baltimore County	28.9	23.0	▼
Calvert	41.4	33.5	▼
Caroline	38.9	29.2	▼
Carroll	41.8	30.8	▼
Cecil	42.0	33.9	▼
Charles	32.6	23.5	▼
Dorchester	34.6	25.7	▼
Frederick	34.7	27.6	▼
Harford	36.1	25.8	▼
Howard	29.4	24.0	▼
Montgomery	21.8	17.4	▼
Queen Anne's	40.7	31.9	▼
Saint Mary's	41.5	31.6	▼
Talbot	36.5	28.6	▼
Washington	37.1	30.5	▼
Wicomico	36.5	26.7	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, p<0.05)
- ▼ = Statistically significant downward trend (based on t-test analysis, p<0.05)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN11: Percentage of students who were ever in a physical fight			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	52.3	46.8	▼
Baltimore County	57.8	46.9	▼
Calvert	46.3	41.1	▼
Caroline	47.6	41.3	▼
Carroll	41.5	33.9	▼
Charles	56.1	49.5	▼

QN14: Percentage of students who ever seriously thought about killing themselves			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	21.3	22.9	▲
Prince George's	23.5	29.2	▲
Worcester	16.9	22.0	▲

QN17: Percentage of students who ever tried cigarette smoking (even one or two puffs)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	7.9	6.0	▼
Baltimore County	8.5	4.6	▼
Dorchester	15.8	9.0	▼
Saint Mary's	10.5	6.9	▼
Wicomico	15.9	10.2	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN18: Percentage of students who tried cigarette smoking for the first time before age 11 years (even one or two puffs)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	3.6	2.9	▼
Dorchester	9.6	3.9	▼
Harford	4.0	2.3	▼

QN19: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	1.3	1.1	No Change
Allegany	3.8	1.5	▼
Dorchester	4.5	1.2	▼
Harford	1.9	0.8	▼

QN21: Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	18.4	18.9	No Change
Calvert	15.4	20.7	▲
Frederick	12.6	17.8	▲
Garrett	22.2	32.0	▲
Harford	14.6	19.6	▲
Queen Anne's	15.5	20.8	▲
Talbot	17.4	26.2	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN22: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
Jurisdiction	2016	2018	Significant Change
Maryland	4.7	5.9	▲
Calvert	3.5	7.8	▲
Caroline	6.3	10.0	▲
Carroll	2.9	6.6	▲
Cecil	6.8	10.9	▲
Frederick	2.1	5.8	▲
Garrett	9.4	15.8	▲
Howard	1.5	2.8	▲
Kent	7.7	14.4	▲
Prince George's	7.9	5.3	▼
Queen Anne's	4.7	8.2	▲
Talbot	5.5	14.8	▲
Worcester	6.9	13.0	▲

QN24: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)			
Jurisdiction	2016	2018	Significant Change
Maryland	1.9	2.2	No change
Allegany	4.0	1.7	▼
Anne Arundel	1.0	2.3	▲
Howard	0.8	1.9	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN25: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	2.5	1.8	▼
Cecil	3.5	1.7	▼
Dorchester	8.3	2.8	▼
Wicomico	5.4	3.0	▼

QN26: Percentage of students who ever drank alcohol (other than a few sips)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	21.7	18.1	▼
Baltimore City	29.4	22.6	▼
Saint Mary's	26.8	21.1	▼
Somerset	30.4	21.9	▼

QN27: Percentage of students who drank alcohol for the first time before age 11 years (other than a few sips)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	11.1	9.1	▼
Caroline	11.8	8.7	▼
Harford	11.7	8.6	▼
Wicomico	14.9	11.1	▼

QN28: Percentage of students who ever used marijuana			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	7.0	6.6	No change
Carroll	2.5	4.7	▲
Dorchester	13.9	7.3	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN29: Percentage of students who tried marijuana for the first time before age 11 years			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	2.4	2.7	No change
Caroline	1.2	3.1	▲
Dorchester	7.8	3.2	▼
Queen Anne's	1.0	2.3	▲
Saint Mary's	1.7	2.9	▲
Talbot	1.2	2.6	▲

QN30: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, Oxycontin, hydrocodone, and Percocet)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	4.9	7.1	▲
Baltimore County	4.3	7.2	▲
Calvert	2.7	6.6	▲
Caroline	3.1	7.2	▲
Carroll	3.0	5.2	▲
Charles	5.0	9.2	▲
Frederick	3.5	6.8	▲
Howard	3.4	6.4	▲
Kent	3.4	7.3	▲
Saint Mary's	5.0	7.3	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN31: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	4.2	1.9	▼
Allegany	4.1	0.8	▼
Anne Arundel	5.1	1.9	▼
Baltimore County	4.5	1.8	▼
Dorchester	8.1	3.2	▼
Harford	3.8	1.5	▼
Howard	2.8	1.3	▼
Montgomery	3.5	1.6	▼
Prince George's	6.9	2.3	▼
Saint Mary's	3.9	1.7	▼
Washington	4.0	1.6	▼

QN32: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	6.7	5.3	▼
Allegany	8.4	5.0	▼
Baltimore County	8.9	5.2	▼
Dorchester	9.0	4.4	▼
Prince George's	9.4	6.6	▼

QN33: Percentage of students who ever took steroids without a doctor's prescription (pills or shots)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	2.2	1.8	No change
Saint Mary's	2.9	1.5	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN35: Percentage of students who had sexual intercourse for the first time before age 11 years			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	2.9	2.1	▼
Cecil	1.1	2.4	▲
Harford	2.8	1.4	▼

QN36: Percentage of students who ever had sexual intercourse with three or more persons			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	2.1	1.7	▼
Allegany	3.1	1.1	▼
Garrett	1.7	4.2	▲

QN38: Percentage of students who described themselves as slightly or very overweight			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	25.0	25.0	No change
Allegany	22.5	27.4	▲

QN40: Percentage of students who did not eat breakfast (during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	11.1	11.2	No change
Allegany	13.8	17.7	▲
Cecil	10.6	14.2	▲
Kent	14.1	6.3	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	46.6	46.6	No change
Caroline	51.9	40.9	▼

QN41: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	50.5	50.4	No change
Allegany	52.4	58.1	▲
Caroline	58.6	50.5	▼
Kent	55.4	66.7	▲
Talbot	59.5	52.2	▼
Worcester	60.4	49.3	▼

QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	13.9	14.5	No change
Garrett	7.3	11.1	▲
Harford	7.7	11.8	▲
Somerset	14.7	21.2	▲
Talbot	11.3	15.4	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	29.6	28.5	No change
Allegany	32.0	37.6	▲
Caroline	37.4	29.2	▼
Washington	31.2	27.1	▼
Worcester	35.5	28.5	▼

QN42: Percentage of students who watched television 3 or more hours per day (on an average school day)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	28.5	24.4	▼
Allegany	28.8	23.5	▼
Baltimore City	47.0	38.2	▼
Baltimore County	36.1	24.4	▼
Charles	37.3	29.9	▼
Saint Mary's	30.4	23.2	▼
Somerset	40.4	30.2	▼
Wicomico	32.8	27.1	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN43: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)

<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	42.7	45.9	▲
Cecil	41.8	48.1	▲
Charles	47.2	52.1	▲
Dorchester	41.6	50.6	▲
Garrett	31.2	38.5	▲
Harford	39.4	48.3	▲
Kent	35.8	45.1	▲
Prince George's	47.8	53.6	▲
Somerset	43.0	49.9	▲
Worcester	39.6	49.5	▲

QN44: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)

<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	83.6	85.3	No change
Caroline	96.2	87.4	▼
Charles	91.2	76.3	▼
Kent	55.8	97.1	▲
Somerset	54.9	42.1	▼
Worcester	97.1	71.6	▼

*Only counties with significant changes are listed on these tables

▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)

▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)

■ = "Negative" trend perception

■ = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	28.0	32.3	▲
Anne Arundel	5.5	8.5	▲
Calvert	4.2	6.7	▲
Caroline	6.4	13.3	▲
Charles	29.0	35.5	▲
Kent	13.9	94.0	▲
Worcester	6.6	13.3	▲

QN45: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the past 12 months before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	61.7	57.6	▼
Caroline	66.1	58.8	▼
Cecil	61.9	56.5	▼
Charles	62.2	55.8	▼
Harford	68.9	63.3	▼
Somerset	56.7	48.6	▼
Washington	64.2	55.4	▼
Wicomico	60.7	54.5	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN46: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	18.4	16.8	▼
Allegany	19.2	14.5	▼
Cecil	20.8	15.4	▼
Dorchester	21.9	16.3	▼
Harford	19.3	14.4	▼

QN48: Percentage of students who got 8 or more hours of sleep (on an average school night)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	54.6	55.3	No change
Baltimore City	53.6	46.7	▼
Calvert	57.3	49.8	▼
Kent	57.7	47.0	▼
Prince George's	44.5	51.4	▲
Worcester	60.3	50.5	▼

QN49: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	81.9	81.6	No change
Calvert	89.6	84.4	▼
Saint Mary's	77.6	84.7	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN52: Percentage of students who have ever ridden in a car driven by someone who was texting while they were driving the car			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	59.6	48.6	▼
Allegany	67.9	54.6	▼
Anne Arundel	66.1	47.7	▼
Baltimore City	51.2	45.2	▼
Baltimore County	58.1	46.2	▼
Calvert	72.0	57.3	▼
Caroline	70.8	56.4	▼
Carroll	68.2	55.1	▼
Cecil	68.1	60.8	▼
Charles	65.2	54.4	▼
Dorchester	63.7	51.9	▼
Frederick	61.8	52.3	▼
Garrett	75.0	65.4	▼
Harford	65.0	53.1	▼
Howard	55.9	47.7	▼
Kent	77.1	62.8	▼
Montgomery	54.1	42.1	▼
Prince George's	56.9	48.9	▼
Queen Anne's	69.1	60.4	▼
Saint Mary's	70.4	53.8	▼
Somerset	63.1	49.0	▼
Talbot	67.4	58.5	▼
Washington	62.8	54.8	▼
Wicomico	61.1	51.6	▼
Worcester	64.4	57.8	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN55: Percentage of students who smoked a whole cigarette before age 11 years (for the first time)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	1.9	1.3	▼
Baltimore County	2.3	1.1	▼
Dorchester	6.7	2.3	▼
Harford	2.5	1.0	▼

QN59: Percentage of students who usually use a kind of flavoring other than tobacco flavor with an electronic vapor product (among students who have ever used an electronic vapor product)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	89.2	94.9	▲
Calvert	88.4	97.2	▲
Frederick	85.7	95.4	▲
Harford	86.0	98.6	▲
Prince George's	88.6	96.6	▲
Saint Mary's	92.6	98.5	▲

*Only counties with significant changes are listed on these tables

▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)

▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)

■ = "Negative" trend perception

■ = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN62: Percentage of students who think they definitely or probably will smoke a cigarette, cigar, cigarillo, or little cigar in the next year			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	9.5	5.6	▼
Anne Arundel	10.4	6.5	▼
Baltimore City	13.2	7.9	▼
Baltimore County	10.0	4.6	▼
Calvert	7.3	5.1	▼
Charles	11.1	7.1	▼
Frederick	6.5	4.0	▼
Montgomery	8.3	4.7	▼
Washington	9.3	5.1	▼
Wicomico	12.3	8.8	▼

QN63: Percentage of students who used some flavored tobacco products (such as fruit-, candy-, or alcohol-flavored tobacco products, not counting menthol cigarettes, during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	2.3	0.9	▼
Allegany	4.1	1.7	▼
Baltimore County	2.7	0.9	▼
Calvert	1.5	0.5	▼
Cecil	3.0	1.1	▼
Charles	3.5	0.8	▼
Dorchester	6.2	2.1	▼
Montgomery	1.5	0.6	▼
Prince George's	3.6	0.9	▼
Saint Mary's	3.0	1.3	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN64: Percentage of students who tried or used tobacco products for the first time (during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	4.1	1.8	▼
Allegany	7.5	3.4	▼
Baltimore City	4.6	1.9	▼
Baltimore County	4.2	1.5	▼
Cecil	4.6	2.9	▼
Charles	5.0	1.6	▼
Howard	1.7	1.0	▼
Saint Mary's	5.4	2.4	▼
Somerset	7.5	2.0	▼
Washington	4.3	2.1	▼
Wicomico	6.8	2.0	▼

QN66: Percentage of students who live with someone who now smokes cigarettes or cigars			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	32.8	29.1	▼
Saint Mary's	43.3	34.8	▼

QN69: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	9.1	7.5	▼
Allegany	11.9	7.9	▼
Baltimore County	10.9	7.9	▼
Prince George's	12.7	8.8	▼
Wicomico	12.9	9.4	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN70: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)			
Jurisdiction	2016	2018	Significant Change
Maryland	5.5	5.2	No change
Dorchester	11.8	7.0	▼
Howard	1.5	2.8	▲
Talbot	3.1	5.9	▲

QN71: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)			
Jurisdiction	2016	2018	Significant Change
Maryland	4.4	4.5	No change
Carroll	2.6	4.3	▲
Somerset	3.5	7.1	▲
Worcester	3.9	7.4	▲

QN73: Percentage of students who were taught in any of their classes about the dangers of tobacco use (during the last school year)			
Jurisdiction	2016	2018	Significant Change
Maryland	74.0	74.1	No change
Charles	69.9	62.8	▼
Frederick	86.5	81.9	▼
Kent	80.9	65.9	▼
Queen Anne's	66.6	74.3	▲
Washington	48.2	57.7	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN74: Percentage of students who participate in extracurricular activities at school (such as sports, band, drama, clubs, or student government)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	60.5	59.9	No change
Caroline	62.5	55.3	▼
Worcester	73.7	62.2	▼

QN77: Percentage of students who say definitely yes or probably yes that young people who smoke have more friends			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	27.2	29.7	▲
Calvert	21.1	27.6	▲
Caroline	24.1	30.1	▲
Carroll	11.7	19.9	▲
Dorchester	27.0	36.8	▲
Frederick	16.4	23.5	▲
Garrett	14.3	19.6	▲
Harford	18.7	27.5	▲
Kent	20.3	35.7	▲
Queen Anne's	16.0	26.0	▲
Talbot	19.7	29.4	▲
Washington	22.9	30.3	▲
Worcester	26.2	38.8	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN78: Percentage of students who say definitely yes or probably yes that smoking makes young people look cool or fit in			
Jurisdiction	2016	2018	Significant Change
Maryland	14.5	16.1	▲
Allegany	9.0	12.9	▲
Calvert	11.3	16.1	▲
Carroll	6.9	14.2	▲
Cecil	8.7	14.5	▲
Frederick	8.8	13.2	▲
Harford	8.9	16.2	▲
Kent	11.7	26.3	▲
Prince George's	24.3	18.2	▲
Queen Anne's	9.3	16.4	▲
Talbot	12.9	18.7	▲
Washington	12.8	16.3	▲
Worcester	12.9	23.3	▲

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN81: Percentage of students who think people are at moderate or great risk of harming themselves (physically or in other ways) if they have one or two drinks of alcohol (beer, wine, or liquor) nearly every day			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	76.2	72.1	▼
Baltimore County	76.5	72.0	▼
Calvert	77.3	70.7	▼
Caroline	76.4	70.1	▼
Carroll	81.3	73.8	▼
Frederick	76.6	72.7	▼
Harford	78.6	72.6	▼
Queen Anne's	78.2	70.9	▼
Washington	75.9	69.4	▼
Wicomico	74.4	67.2	▼

QN82: Percentage of students who think people are at moderate or great risk of harming themselves (physically and in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	79.9	76.5	▼
Calvert	83.9	76.0	▼
Caroline	80.0	73.3	▼
Carroll	84.8	79.9	▼
Charles	77.3	69.5	▼
Frederick	82.6	78.3	▼
Garrett	80.6	75.6	▼
Harford	84.2	77.7	▼
Kent	84.3	70.7	▼
Queen Anne's	82.7	75.7	▼
Wicomico	77.5	68.8	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception

2018-2019 Middle School Youth Risk Behavior/Youth Tobacco Survey Trend Report

QN83: Percentage of students who have an adult outside of school they can talk to about things that are important to them			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	85.5	85.4	No change
Dorchester	78.9	84.5	▲
Queen Anne's	88.2	91.4	▲
Washington	85.7	89.5	▲

QN84: Percentage of students who would feel comfortable seeking help from one or more adults besides their parents if they had an important question affecting their life			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	79.1	81.2	▲
Allegany	81.9	87.4	▲
Calvert	79.6	83.1	▲
Charles	77.2	81.6	▲
Dorchester	82.0	76.6	▼
Queen Anne's	78.8	84.8	▲
Washington	78.2	83.6	▲

QN85: Percentage of students who talked to a teacher or other adult in their school about a personal problem they had (during the 12 months before the survey)			
<i>Jurisdiction</i>	<i>2016</i>	<i>2018</i>	<i>Significant Change</i>
Maryland	33.8	31.1	▼
Prince George's	35.4	28.5	▼

*Only counties with significant changes are listed on these tables

- ▲ = Statistically significant upward trend (based on t-test analysis, $p < 0.05$)
- ▼ = Statistically significant downward trend (based on t-test analysis, $p < 0.05$)
- = "Negative" trend perception
- = "Positive" trend perception